Media For Which Designed:

Flow Rate Indicating Meter - Page 1 of 2





Gas Inlet Connection Type: Threaded **End Application:** Rq-4a drone Indicator Type: Tiltable digital display **Design Type:** Case Unit Type: Mounted Scale Quantity: 1 **Construction:** Enclosed w/digital counter **Outlet Connection Type:** Threaded **Tube Material:** Steel, corrosion resisting **Mounting Method: Direct line Carrying Handle:** Not included **Dial Scale Marking Range:** +0.0/+500.0 **Outlet Connection Size:** 0.250 in npt female Base: Not included Maximum Working Pressure: 150.0 pounds per square inch **Inlet Connection Size:** 0.250 in npt female Metering Tube Quantity: 1 **Dial Scale Reference Pointer:** Not included **Spinning Float:** Not included Inlet Connection Position For Which Designed: Horizontal

# NSN 6680-01-582-8432

Flow Rate Indicating Meter - Page 2 of 2



### **Outlet Connection Position For Which Designed:**

Horizontal

#### Product Name:

Gas mass flow meter with digital display

### **Special Features:**

12-15vdc 100milliamp max; viton elastomers; 0-5vdc linear output; 3ft display cable length

### Functional Description:

Designed to replace volumetric flow rate devices for measuring up to 500 scc flow rate

#### Shelf Life:

N/a

## Unit Of Measure:

---

#### Demilitarization:

Yes - demil/mli

#### Fiig:

T134-t