Humidity-temperature Recorder - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6685-00-091-6229

Overall Depth:

6.000 inches

Overall Height:

5.625 inches

Overall Width:

3.625 inches

Current Type:

Ac

Ac Voltage Rating:

115.0 volts

Frequency Rating:

60.0 hertz

Accessory Components And Quantity:

Strip chart paper 1; sensor extension cable 1

Operating Range:

+10.0 to 90.0 percent and +60.0 to 90.0 degrees fahrenheit

Information Recorded:

Relative humidity and temperature

Recording Method:

Pressure sensitive paper

Chart Drive Method:

Electric motor

Phase:

Single

Special Features:

X2 seperate channels, humidity and temperature; accuracy temp channel +/- 1 degrees f and humidity channel +/- 4 rh between 20 and 80 rh at 77 degrees f; temp coeffecient -0.2rh/deg f; response time temp channel 1 second to 63%; humidity channel 30 seconds to 63%; sampling rate 8 seconds for one complete cycle 4 second intervals between humidity and temp; mounting: brackets for wall mounting and panel mounting; weight 4 lbs; chart paper style p, pressure sensitive, speed 1/2 inch per four or 1 ft per day; size 63 ft l ong by 2 5/16 inches useable width; paper life 9 weeks; recorder may be placed on desk or table or mounted on wall or panel; sensor 6 ft cable; recorder case material die cast aluminum; paper has easy to read straight line grids

Shelf Life:

N/a

```
Unit Of Measure:
```

```
Demilitarization:
```

No

Fiig:

T206-a