

View Online at <https://aerobasegroup.com/nsn/6685-00-133-7910>

Pipe Size Designation:

0.250 inches

Overall Length:

2.000 inches

Overall Width:

1.400 inches

Thread Size:

1/4-18

End Application:

4920-00-613-8716 test stand; p/n ltct20576 mets gsu; 216-01057-1 age

Screw Thread Series Designator:

Nptf

Thread Location:

Internal

Connection Quantity:

2

Operating Pressure Range:

+0.0 to 5000.0 pounds per square inch

Fluid Type For Which Designed:

Hydraulic fluid

Threaded Direct Pressure Connection:

Provided

Gage End Connection Type:

Female

Removable Piston:

Not provided

Special Features:

Hydraulic fluid medium per mil-h-5606; working pressure up to 5000 psi; proof pressure 7500 psi; burst pressure 12,000 psi; temp range -65 degrees f to +160 degrees f; body stainless steel and passivated; ports 1/4 inch npt female threads per and10053; external leakage to be zero; mounting inline; weight 6 ounces

Functional Description:

Provides protection for dial gages from pressure surges by eliminating rapid fluctuations of the gage needle

Material:

Steel, corrosion resisting

Material:

Stainless steel

Supplementary Features:

Manufacturers names: snubber, pressure gage and dampener, fluid pressure

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T179-n