

View Online at <https://aerobasegroup.com/nsn/6685-00-133-7910>

**Pipe Size Designation:**

0.250 inches

**Overall Length:**

2.000 inches

**Overall Width:**

1.400 inches

**Thread Size:**

1/4-18

**End Application:**

4920-00-613-8716 test stand; p/n ltct20576 mets gsu; 216-01057-1 age

**Screw Thread Series Designator:**

Nptf

**Thread Location:**

Internal

**Connection Quantity:**

2

**Operating Pressure Range:**

+0.0 to 5000.0 pounds per square inch

**Fluid Type For Which Designed:**

Hydraulic fluid

**Threaded Direct Pressure Connection:**

Provided

**Gage End Connection Type:**

Female

**Removable Piston:**

Not provided

**Special Features:**

Hydraulic fluid medium per mil-h-5606; working pressure up to 5000 psi; proof pressure 7500 psi; burst pressure 12,000 psi; temp range -65 degrees f to +160 degrees f; body stainless steel and passivated; ports 1/4 inch npt female threads per and10053; external leakage to be zero; mounting inline; weight 6 ounces

**Functional Description:**

Provides protection for dial gages from pressure surges by eliminating rapid fluctuations of the gage needle

**Material:**

Steel, corrosion resisting

**Material:**

Stainless steel

**Supplementary Features:**

Manufacturers names: snubber, pressure gage and dampener, fluid pressure

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T179-n