

View Online at <https://aerobasegroup.com/nsn/6685-00-908-2404>

Overall Depth:

2.500 inches

Bolt Circle Diameter:

4.250 inches

Mounting Hole Diameter:

0.219 inches

Mounting Hole Quantity:

3

Overall Diameter:

4.625 inches

Case Material:

Aluminum

Case Surface Treatment:

Enamel, gray

End Application:

Psoeidon material

Graduation Unit:

20.0 degrees and 10.0 inches and 20.0 pounds per square inch

Actuation Type:

Single bourdon tube

Adjustability:

Adjustable or nonadjustable

Scale Range:

-50.0/+116.0 degrees fahrenheit and +0.0/+30.0 inches of mercury and +0.0/+150.0 pounds pressure per square inch

Scale Name:

Pressure and vacuum and temperature

Dial Size:

3-1/2 in. Dia

Connection Quantity:

1

Pointer Color:

Black and red

Pointer Type:

Indicating and reference

Scale Marking:

Dial marked refrigerant 12, deg f, in. Hg, vac, psig

Scale Type:

Multiple

Scale Smallest Increment:

10.0 degrees and 2.0 inches and 2.0 pounds per square inch

Connection Type:

External

Mounting Method:

Surface wall

Scale Accuracy:

1 pct accuracy rating above 5 pct of scale range; 1 pct accuracy rating above 5 pct of scale range; 1 pct accuracy rating above 5 pct of scale range

Actuating Element Material:

Nickel copper alloy

Scale Inscription/background Color:

Black figures on white background; black figures on white background; red figures on white background

Scale Name For Which Pointer Is Designed:

Pressure-vacuum and temperature and pressure-vacuum

Connection Location:

Back, lower

Protective Crystal Material:

Plastic

Connection Size:

0.250 in. Tube

Connector Type Vent:

Not provided

Specification Or Standard:

A design and a type

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T179-b