Dial Indicating Pressure Gage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6685-00-910-6976

Overall Depth: 2.562 inches Overall Diameter: 4.875 inches Case Material: Aluminum alloy Case Material: Aluminum alloy Case Material: Enamel, black Graduation Unit: 20.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Back materia: Prosure Bial Size: 41/2 In: Dia Connection Quantity: 1 Pointer Color: Black Singla
Norral Diameter:4.875 inchesCase Material:Alumirum alloyCase Surface Treatment:Enamel, blackGraduation Unit:20.0 pounds per square inchActuation Type:Bourdon tubeAdjustabileScale Range:+0.0 ye 20.0 pounds per square inchScale Range:+0.0 ye 20.0 pounds per square inchScale Range:+0.1 ye 20.0 pounds per square inchScale Range:+1 ye 20.0 pounds per square inchScale Scale Sca
4.375 inches Case Material: Aluminum alloy Case Surface Treatment: Enamel, black Graduation Unit: 20.0 pounds per square inch Adjustability: Adjustability: Adjustability: Adjustability: 4.00/-200.0 pounds pressure per square inch Scale Range: +0.0/-200.0 pounds pressure per square inch Scale Range: +0.0/-200.0 pounds pressure per square inch Scale Range: +0.0/-200.0 pounds pressure per square inch Scale Range: +10/-200.0 pounds pressure per square inch Scale Range: +10/-200.0 pounds pressure per square inch Scale Range: 1 Pressure Pressure Black Pointer Color: Black Pointer Type: Indiating Scale Scale Scale Scale Increment: 2.0 pounds per square inch Conction Type: 2.1 Scale Scale Scale Increment: 2.1 Mounting Method:
Case Material: Auminum alloy Case Surface Treatment: Enamel, black Graduation Unit: 20.0 pounds presquare inch Actuation Type: Bourdon tube Adjustability: Adjustability: <
Auminum alloy Case Surface Treatment: Enamel, black Graduation Unit: 20.0 ponds per square inch Actuation Type: Bourdon tube Adjustability: Back <
Case Surface Treatment: Enamel, black Graduation Unit: 20.0 pounds per square inch Actuation Type: Bourdon tube Adjustability:
Enamel, black Graduation Unit: 20.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Back Pointer Color: Black Pointer Type: Indicating Scale Stability: Connection Type: Scale Stability: Adjustability: Mouting Method: Scale Accuracy: Within 1/2 of 1 pt of the scale range Acutating Element Material:
Graduation Unit: 20.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: 4.00/+200.0 pounds pressure per square inch Scale Name: Pressure Dial Size: 4.1/2 in. Dia Connection Quantity: 4.1/2 in. Dia Pointer Color: Black Pointer Type: Indicating Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigd stam Scale Accuracy: Within 1/2 of 1 pt of th scale range Actuating Element Material: Phosphor bronze
20.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Back Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigd stam Scale Accuracy: Withi 1/2 of 1 pot of the scale range
Actuation Type: Bourdon tube Adjustability: Adjustabile Adjustabile Scale Range: +0.0+200.0 pounds pressure per square inch Scale Name: Pressure Dial Size: 4.1/2 in, Dia Connection Quantity: 1 Pointer Color: Black Pointer Type: Indicating Scale Snallest Increment: 2.0 pounds per square inch Connection Type: 2.1 Stale Snallest Increment: 2.0 pounds per square inch Connection Type: Paternal Monting Method: Rigdistam Scale Snallest Increment: 2.0 pounds per square inch Connection Type: External Monting Method: Rigdistam Scale Accuracy: Within 1/2 of 1 pot of the scale range Actuating Element Material: Phosphor bronze
Bourdon tube Adjustability: Adjustable Adjustable Scale Range: +0.0/+200.0 pounds pressure per square inch Scale Name: Pressure Drate Same: Pressure Data Same: 1 Connection Quantity: 1 Pointer Color: Back Pointer Type: Indicating Scale Smallest Increment: 2.0 pounds per square inch Connection Type: Picter Same: 2.0 pounds per square inch Mounting Method: Rigid sem Scale Scale Same: Vithin 1/2 of 1 pet of the scale range Mutting Element Material: Phosphor bronze
Adjustabile; Adjustable Scale Range; +0.0/+200.0 pounds pressure per square inch Scale Name: Pressure Pressure Dial Size: +1/2 in. Dia Connection Quantity: 1 Pointer Color: Black Pointer Tope: Indicating Scale Smallest Increment: 2.0 pounds per square inch Connection Type: Black Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Within 1/2 of 1 pet of the scale range Actuating Element Material: Posphor bronze
Adjustable Scale Range: +0.0/+200.0 pounds pressure per square inch Scale Name: Pressure Pressure Dial Size: +1/2 in. Dia Connection Quantity: 1 Pointer Color: Black Pointer Type: Indicating Scale Smallest Increment: 2.0 pounds per square inch Connection Type: Black Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Vithin 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze
Scale Range: 40.0/4200.0 pounds pressure per square inch Scale Name: Pressure Pressure Dial Size: 4.1/2 in. Dia Connection Quantity: 1 Pointer Color: Black Pointer Type: Indicating Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze
 b.0/+200. pounds pressure per square inch Scale Name: Pressure Pressure Dial Size: 4.1/2 in. Dia Connection Quantity: 1 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 1 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Vithin 1/2 of 1 pt of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
PressureDial Size:4-1/2 in. DiaConnection Quantity:1Pointer Color:BlackPointer Type:IndicatingScale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Vithin 1/2 of 1 pet of the scale rangeActuating Element Materia:Phosphor bronzeScale Inscription/background Color:
Dial Size:4-1/2 in. DiaConnection Quantity:11Pointer Color:BlackPointer Type:IndicatingScale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:Bidgi stemRigid stemScale Accuracy:Vithin 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
4-1/2 in. DiaConnection Quantity:1Pointer Color:BlackPointer Type:IndicatingScale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Vithin 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
Connection Quantity:1Pointer Color:BlackPointer Type:IndicatingScale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
1 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Pointer Color:BlackPointer Type:IndicatingScale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
BlackPointer Type:IndicatingScale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
Pointer Type:IndicatingScale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
Indicating Scale Type: Single Scale Smallest Increment: 2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Scale Type:SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
SingleScale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
Scale Smallest Increment:2.0 pounds per square inchConnection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
2.0 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Connection Type:ExternalMounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
External Mounting Method: Rigid stem Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Mounting Method:Rigid stemScale Accuracy:Within 1/2 of 1 pct of the scale rangeActuating Element Material:Phosphor bronzeScale Inscription/background Color:
Rigid stem Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Scale Accuracy: Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Within 1/2 of 1 pct of the scale range Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Actuating Element Material: Phosphor bronze Scale Inscription/background Color:
Phosphor bronze Scale Inscription/background Color:
Scale Inscription/background Color:
Black markings on white background
Connection Location:
Bottom

NSN 6685-00-910-6976

Dial Indicating Pressure Gage - Page 2 of 2



Bezel Type:

Thread

Protective Crystal Material:

Glass

Connection Size:

0.250 in. Npt dia

Mounting Connection Location:

Bottom

Connector Type Vent:

Not provided

Material:

Aluminum

Material:

Aluminum

Surface Treatment:

Paint

Surface Treatment:

Paint, epoxy

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T179-b