

View Online at <https://aerobasegroup.com/nsn/6685-00-951-8385>

Overall Depth:

3.219 inches

Bolt Circle Diameter:

5.375 inches

Mounting Hole Diameter:

0.219 inches

Mounting Hole Quantity:

3

Overall Diameter:

5.875 inches

Case Material:

Brass

Case Surface Treatment:

Paint, black

Graduation Unit:

10.000 pounds

Actuation Type:

Double bourdon tube

Adjustability:

Adjustable

Scale Range:

+0.000/+50.000 pounds pressure per square inch

Scale Name:

Pressure

Dial Size:

4-1/2 in. Dia

Connection Quantity:

2

Pointer Color:

Black

Pointer Type:

Indicating

Scale Marking:

High pressure connection; low pressure connection

Scale Type:

Multiple

Scale Smallest Increment:

1.000 pounds

Connection Type:

External

Mounting Method:

Flush panel

Scale Accuracy:

1 pct entire range

Actuating Element Material:

Bronze

Scale Inscription/background Color:

Black figures on white background

Scale Name For Which Pointer Is Designed:

High pressure and low pressure

Connection Location:

Back

Bezel Type:

Thread

Protective Crystal Material:

Glass

Connection Size:

1/4 in. Npt

Connector Type Vent:

Not provided

Material:

Brass

Material:

Copper alloy

Surface Treatment:

Paint

Surface Treatment:

Paint, black

Fsc Application Data:

Gage, pressure, dial indicating, except engine

Reference Number Differentiating Characteristics:

As differentiated by scale type, dial size, scale marking, case material, case surface treatment, diameter, depth, bezel type, material, surface treatment, connection quantity, connection type, connection location, connection size, mounting method, bolt circle diameter, mounting hole quantity, and mounting hole diameter

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T179-b