

View Online at <https://aerobasegroup.com/nsn/6685-01-047-6693>

**Bolt Circle Diameter:**

5.375 inches

**Mounting Hole Diameter:**

0.219 inches

**Mounting Hole Quantity:**

3

**Case Material:**

Aluminum, cast

**Case Surface Treatment:**

Enamel, gray

**Actuation Type:**

Bourdon tube

**Adjustability:**

Adjustable

**Scale Range:**

+0.0/+200.0 pounds pressure per square inch

**Scale Name:**

Pressure

**Dial Size:**

4-1/2 in. Dia

**Connection Quantity:**

1

**Pointer Color:**

Black and red

**Pointer Type:**

Indicating and reference

**Scale Type:**

Single

**Scale Smallest Increment:**

2.0 pounds per square inch

**Connection Type:**

External

**Mounting Method:**

Panel

**Scale Accuracy:**

Porm 1 pct of full range

**Actuating Element Material:**

Nickel copper aluminum alloy

**Scale Inscription/background Color:**

Black markings on white background

**Connection Location:**

Back

**Protective Crystal Material:**

Plastic

**Connection Size:**

0.250 in. Od tubing

**Connector Type Vent:**

Not provided

**Criticality Code Justification:**

Zzzw

**Special Features:**

Special requirements for nuclear propulsion plant equipment contained in individual repair parts ordering data instrumentation control no. 4786-cgn25-0071, line no. 001, flush mounting ring

**Specification Or Standard:**

A design and a type

**Departure From Cited Document:**

Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

T179-b