

View Online at <https://aerobasegroup.com/nsn/6685-01-047-6693>

Bolt Circle Diameter:

5.375 inches

Mounting Hole Diameter:

0.219 inches

Mounting Hole Quantity:

3

Case Material:

Aluminum, cast

Case Surface Treatment:

Enamel, gray

Actuation Type:

Bourdon tube

Adjustability:

Adjustable

Scale Range:

+0.0/+200.0 pounds pressure per square inch

Scale Name:

Pressure

Dial Size:

4-1/2 in. Dia

Connection Quantity:

1

Pointer Color:

Black and red

Pointer Type:

Indicating and reference

Scale Type:

Single

Scale Smallest Increment:

2.0 pounds per square inch

Connection Type:

External

Mounting Method:

Panel

Scale Accuracy:

Porm 1 pct of full range

Actuating Element Material:

Nickel copper aluminum alloy

Scale Inscription/background Color:

Black markings on white background

Connection Location:

Back

Protective Crystal Material:

Plastic

Connection Size:

0.250 in. Od tubing

Connector Type Vent:

Not provided

Criticality Code Justification:

Zzzw

Special Features:

Special requirements for nuclear propulsion plant equipment contained in individual repair parts ordering data instrumentation control no.

4786-cgn25-0071, line no. 001, flush mounting ring

Specification Or Standard:

A design and a type

Departure From Cited Document:

Material will be in accordance with navicp mech; activity hx quality control, manufacturing and testing specifications.

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T179-b