Dial Indicating Pressure Gage - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/6685-01-057-9166

U	verall Depth:
2	.500 inches
В	olt Circle Diameter:
5	.375 inches
N	lounting Hole Diameter:
0	219 inches
N	lounting Hole Quantity:
3	
0	verall Diameter:
5	.593 inches
С	ase Material:
A	luminum
С	ase Surface Treatment:
A	nodized, mil-c-5541 and enamel, gray
Ε	nd Application:
Ρ	ropulsion systems
G	araduation Unit:
2	0.0 pounds per square inch
A	ctuation Type:
В	ourdon tube
A	djustability:
A	djustable
S	cale Range:
+	0.0/+200.0 pounds pressure per square inch
S	cale Name:
Ρ	ressure
D	ial Size:
4	-1/2 in. Dia
С	onnection Quantity:
1	
Ρ	ointer Color:
W	/hite
Ρ	ointer Type:
Ir	dicating
S	cale Type:
S	ingle
S	cale Smallest Increment:
2	.0 pounds per square inch
С	onnection Type:
_	xternal

Flush panel

Dial Indicating Pressure Gage - Page 2 of 2



Scale Accuracy: Porm 1 pct of scale range **Actuating Element Material:** Nickel copper alloy, qq-n-286, class a Scale Inscription/background Color: Black background, white graduations and markings **Connection Location:** Bottom **Protective Crystal Material:** Plastic **Connection Size:** 0.250 in. Tube **Connector Type Vent:** Not provided Shelf Life: N/a Unit Of Measure: ---**Demilitarization:** No Fiig: T179-b Mil-std (military Standard): Mil-g-18997 spec.