

Vi om/nsn/6685-01-288-3076

inch

View Online at https://aerobasegroup.cd Overall Depth: 3.219 inches Overall Diameter: 5.875 inches Case Material: Aluminum Graduation Unit: 5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustabile Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
3.219 inches Overall Diameter: 5.875 inches Case Material: Aluminum Graduation Unit: 5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustable Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Overall Diameter: 5.875 inches Case Material: Aluminum Graduation Unit: 5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustabile Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
5.875 inches Case Material: Aluminum Graduation Unit: 5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustabile Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Case Material: Aluminum Graduation Unit: 5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustabile Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Aluminum Graduation Unit: 5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustabile Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Graduation Unit: 5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustable Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
5.0 pounds per square inch Actuation Type: Bourdon tube Adjustability: Adjustable Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Actuation Type: Bourdon tube Adjustability: Adjustable Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Bourdon tube Adjustability: Adjustable Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Adjustability: Adjustable Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Adjustable Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Scale Range: +0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
+0.0/+15.0 pounds pressure per square Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Scale Name: Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Pressure Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Dial Size: 4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
4-1/2 in. Dia Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Connection Quantity: 2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
2 Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Pointer Color: Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Black Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Pointer Type: Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Indicating Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Scale Type: Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Single Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Scale Smallest Increment: 0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
0.2 pounds per square inch Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Connection Type: External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
External Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Mounting Method: Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Rigid stem Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Scale Accuracy: Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Porm 0.5 pct full scale Actuating Element Material: Phosphor bronze
Actuating Element Material: Phosphor bronze
Phosphor bronze
-
Scale Inscription/background Color:
Black markings on white background
Connection Location:

Back Protective Crystal Material:

Glass



Connection Size:

0.250 in. Npt dia

Mounting Connection Location:

Back

Connector Type Vent:

Not provided

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T179-b