NSN 6685-01-483-1285

Humidity Control - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/6685-01-483-1285

Operating Tempurature Range: -25.0/+140.0 degrees celsius Mounting Method: Platform Maximumwidth: 7.800 inches Maximumheight: 13.500 inches Sensing Element Type And Location: Thermocouple internal Special Features:

Item known as dry well temperature reference; wgt: 30 lbs; 12.5 depth; set point accuracy +/- 2 degrees c; setpoint stability: +/- 0.02 degrees c/day; display resolution: +/- 0.01 degrees c or f; display type: led, centrigade or fahrenheit user selectable; typicalwarm up time: 6 min 25 to 80 degrees c, 14min: 25 to 140 degrees c; typical cool down times: 10 min: 25 to -20 c; fault protection: sensor burnout protection, over temperature thermal cutout, electrical fuse: 115v, 3a sb; 2030 v, 1.5a sb; well dimensions: 2 reference wells at 6.7 mm (0.265") dia. X 155mm (6.1") deep 6 calibration wells at 9mm (0.354") dia. X 155mm (6.1") deep; calibration well capacity: 18 or 24 depending on wire size **Shelf Life:** 

N/a

Unit Of Measure:

--

Demilitarization:

No Fiig:

A31700