

View Online at <https://aerobasegroup.com/nsn/6695-01-379-7927>

Overall Length:

9.250 inches

Overall Width:

3.180 inches

End Application:

4920-01-342-2932 test station, f-16 ais

Accessory Components And Quantity:

Ac power supply p/n 2215965-002, counterweight assembly p/n 2215965-003, calibration lens p/n 2215965-007, and lens storage box p/n 2215965-008

Special Features:

Provides capability to make measurements of monochrome luminance and area luminance within the following specs; luminance (worst case) accuracy +/-10%, repeatability +/- 7%, range 0.02 to 10, 000 foot lamberts, resolution 4e-6 electrical; area luminance (worst case) accuracy +/- 12%, repeatability +/- 8%, range 0.02 to 10, 000 foot lamberts, resolution 4e-6 electrical; aperture size (field coverage) 1 degree; focusing range infinity to 6 feet; modes of operation are automatic ranging and measurement with rs-232 output to f-16 iais computer, visual output measurement values also provided at the instrument for operator monitoring; power input 12 vdc, currempt 0.25 amps max; calibrated using an input stimulus of a known luminance level in foot lamberts with p-1 phosphor simulation

Functional Description:

The photometric adapter is used to provide photometric measurements within the measurement aperture of this adapter, when coupled to a digital theodolite and computer, using an rs-232 interface

Supplementary Features:

Manufacturer item name is adapter, photometric

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

T134-c