NSN 8010-01-293-3018

Polyurethane Coating - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/8010-01-293-3018

Application Method: Spraying as is Countity Within Each Unit Package: 2.000 quarts Content Within Each Unit Package: Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 quarts Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Atted Drying Time: 4.000 hours Color Chip Number: 34005 Volatile Organic Compound in Grams Per Liter: 34005 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Sheef Life: N/a Unit Of Measure: — Demilitarization: Yes - demil/mil Flig: A09700 Mil-prt-95286 spec.	A . P C Al. of . I
Quantity Within Each Unit Package: 2.000 quarts Content Within Each Unit Package: Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 quarts Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 34005 Wolatile Organic Compound In Grams Per Liter: 3400.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Sheft Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mili Fig: A09700 Mil-std (military Standard):	
2.000 quarts Content Within Each Unit Package: Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 quarts Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 4000 hours Color Chip Number: 440.0 Environmental Attribute Code: Low volatile organic compound in Grams Per Liter: 440.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: Green Special Features: Green Specification Or Standard: 2 type and h class Shelf Life: Na Unit Of Measure: Demilitarization: Yes - demil/mili Fiig: A09700 Mil-std (military Standard):	
Consents Within Each Unit Package: Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 quarts Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound in Grams Per Liter: 34095 Volatile Organic Compound organis Per Liter: 34000 hours Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: — Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	
Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 quarts Features Provided: Lead free and chromate free Gloss Designation: Fila Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4,000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Fig: A09700 Mil-std (military Standard):	
Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34005 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Sheff Life: N/a Unit Of Measure: — Unit Of Measure: — Yes - demit/mli Fiig: A09700 Mil-std (military Standard):	
Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound in Grams Per Liter: 34095 Volatile Organic Compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: — Demilitarization: Yes - demil/mli Fitig: A09700 Mil-std (military Standard):	
Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: — Demilitarization: Yes - demil/mli Filg: A09700 Mil-std (military Standard):	Features Provided:
Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: — Demilitarization: Yes - demil/mli Flig: A09700 Mil-std (military Standard):	Lead free and chromate free
Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: — Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Gloss Designation:
Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Flat
Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Flig: A09700 Mil-std (military Standard):	Coloring Method:
Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Pigmented
Rated Drying Time: 4.000 hours Color Chip Number: 34095 Volatile Organic Compound in Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Basic Formulation Type:
4.000 hours Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Polyurethane
Color Chip Number: 34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Rated Drying Time:
34095 Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	4.000 hours
Volatile Organic Compound In Grams Per Liter: 340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Color Chip Number:
340.0 Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	34095
Environmental Attribute Code: Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Volatile Organic Compound In Grams Per Liter:
Low volatile organic compound - coatings - metal parts coatings Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	340.0
Special Features: High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Environmental Attribute Code:
High solids; for ground support equipment Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Low volatile organic compound - coatings - metal parts coatings
Color: Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Special Features:
Green Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	High solids; for ground support equipment
Specification Or Standard: 2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Color:
2 type and h class Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Green
Shelf Life: N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Specification Or Standard:
N/a Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	2 type and h class
Unit Of Measure: Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Shelf Life:
Demilitarization: Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	N/a
Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	Unit Of Measure:
Yes - demil/mli Fiig: A09700 Mil-std (military Standard):	
Fiig: A09700 Mil-std (military Standard):	Demilitarization:
A09700 Mil-std (military Standard):	Yes - demil/mli
Mil-std (military Standard):	Fiig:
	A09700
Mil-prf-85285 spec.	Mil-std (military Standard):
	Mil-prf-85285 spec.