NSN 8010-01-330-3436

Polyurethane Coating - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/8010-01-330-3436

Application Method: Spraying as is Quantity Within Each Unit Package: 2.000 gallons Content Within Each Unit Package: Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 gallons Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment Color:
Quantity Within Each Unit Package: 2.000 gallons Content Within Each Unit Package: Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 gallons Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Content Within Each Unit Package: Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 gallons Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Consists of component a (pigmented polyester resin and solvent) and component b (clear aliphatic isocyanate) to equal 2 gallons Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Features Provided: Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Lead free and chromate free Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Gloss Designation: Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Flat Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Coloring Method: Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Pigmented Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Basic Formulation Type: Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Polyurethane Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Rated Drying Time: 4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
4.000 hours Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Color Chip Number: 36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
36118 Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
Volatile Organic Compound In Grams Per Liter: 340.0 Special Features: High solids; for ground support equipment
340.0 Special Features: High solids; for ground support equipment
Special Features: High solids; for ground support equipment
High solids; for ground support equipment
Color:
500
Gray
Specification Or Standard:
2 type and h class
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A09700
Mil-std (military Standard):
Mil-prf-85285 spec.