## NSN 8010-01-350-4745

Epoxy Coating Kit - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/8010-01-350-4745

| Specific Use:   |
|---|
| Marine  |
| Application Method:   |
|   |
| Brushing as packaged or spraying as is  Oughtity Within Fack Unit Backage   |
| Quantity Within Each Unit Package:  |
| 2.000 gallons   |
| Content Within Each Unit Package:   |
| Consists of 1 gallon of component a and 1 gallon of component b to equal 2 gallons  |
| Gloss Designation:  |
| Semigloss   |
| Vehicle Material Type:  |
| Epoxy resin and polyamide   |
| Finish For Which Formulated:  |
| Fine  |
| Rated Drying Time:  |
| 2.000 hours   |
| Color Chip Number:  |
| 20152   |
| Volatile Organic Compound In Grams Per Liter:   |
| 340.0   |
| Environmental Attribute Code:   |
| Low volatile organic compound - coatings - marine operations coatings   |
| Special Features:   |
| Three coat system; for use on sandblasted steel, aluminum or fiberglass where a hard, durable, chemically resistant, non-porous coating |
| is desired  |
| Color:  |
| Brown   |
| Specification Or Standard:  |
| 3 type and 156 formula  |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
| <del></del>   |
| Demilitarization:   |
| Yes - demil/mli   |
| Fiig:   |
| A09700  |
| Mil-std (military Standard):  |
| Mil-p-24441 spec.   |
|   |