## NSN 8120-00-142-9241

Gas Cylinder Valve - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/8120-00-142-9241

Body Material:
Any acceptable
Maximum Operating Pressure:
600.0 pounds per square inch
Body Style:
Angle give "adqm" and "adqn" only if flanged one or two ends
Stem Material:
Any acceptable
Tempurature Rating:
67.0 degrees fahrenheit
Media For Which Designed:
Butane or propane gas or butane-propane mixtures or mapp gas
First End Connection Type:
Threaded internal gas cylinder
First End Style Designator:
Gasket seal
First End Thread Direction:
Left-hand
Second End Relationship With First End:
Not identical
Second End Connection Type:
Threaded external gas cylinder
Second End Style Designator:
Plain
Second End Thread Direction:
Right-hand
Flow Control Device:
Any acceptable
Flow Control Device Material:
Any acceptable
Valve Operation Method:
Wheel
End Connection Quantity:
2
First End Thread Pitch Diameters:
+0.8386/+0.8422 inches
Second End Thread Pitch Diameters:
+0.9677/+1.0157 inches
Special Features:
USED-WI-THC-YLIN
Special Markings:

Lpg

## NSN 8120-00-142-9241

Gas Cylinder Valve - Page 2 of 2



V14-510 type

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A07100