NSN 8120-00-292-9662

Compressed Gas Cylinder - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/8120-00-292-9662

| Maximum Operating Pressure: |
|---|
| 1800.000 pounds per square inch |
| Furnished Items: |
| Valve |
| Department Of Transportation Cylinder Identifying Number: |
| 3a-1800 |
| Overall Height: |
| 13.750 inches |
| Cross Section Outside Diameter: |
| 5.218 inches |
| Specific Gas For Which Designed: |
| Compressed gas |
| Cylinder Style Designator: |
| Cylindrical type |
| Shatterproof Feature: |
| Included |
| Cylinder Style Designator: |
| 3 |
| Interstate Commerce Commission Identifying Number/d: |
| 3a-1800 |
| Capacity Rating: |
| 250.000 cubic inches |
| Neck Thread Location: |
| Internal |
| Neck Closure: |
| Provided |
| Spec/std Controlling Agency: |
| Mil |
| Spec/std Identifying Number: |
| Mil-v-2a specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; |
| excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental |
| and performance requirements and test conditions that are shown as "typical", "average", "", etc.). |
| Government Type Number: |
| Type 13-661-4 |
| Special Features: |
| Thds: 1-11-1/2 npt |
| Thread Size And Series/type Designator: |
| 1-11-1/2 npt |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| - |

No

Demilitarization:

NSN 8120-00-292-9662

Compressed Gas Cylinder - Page 2 of 2



Fiig:

T162-b

Mil-std (military Standard):

Mil-v-2 spec.