## NSN 8120-01-351-6688

Gas Cylinder Valve - Page 1 of 2

**Body Material:** 



View Online at https://aerobasegroup.com/nsn/8120-01-351-6688

| Brass, qq-b-626, alloy 377                                   |
|--|
| Maximum Operating Pressure:                                  |
| 2400.0 pounds per square inch                                |
| Body Style:  |
| Angle give "adqm" and "adqn" only if flanged one or two ends |
| Furnished Items:   |
| Chain and plug   |
| Tempurature Rating:  |
| 70.0 degrees fahrenheit                                      |
| Media For Which Designed:                                    |
| Helium or nitrogen, gaseous                                  |
| First End Connection Type:                                   |
| Threaded internal gas cylinder                               |
| First End Style Designator:                                  |
| High pressure flare  |
| First End Thread Direction:                                  |
| Left-hand  |
| Second End Relationship With First End:                      |
| Not identical  |
| Second End Connection Type:                                  |
| Threaded external gas cylinder                               |
| Second End Style Designator:                                 |
| Plain  |
| Second End Thread Class:                                     |
| 2a   |
| Seat Material:   |
| Brass, qq-b-626, alloy 377                                   |
| Flow Control Device:   |
| Disk, flat   |
| Valve Operation Method:                                      |
| Wheel  |
| End Connection Quantity:                                     |
| 2  |
| First End Thread Series Designator:                          |
| Ngo  |
| First End Thread Size:                                       |
| 0.965 inches   |
| Second End Thread Size:                                      |
| 1.125 inches   |
| Second End Thread Series Designator:                         |
| Unf  |

## NSN 8120-01-351-6688

Gas Cylinder Valve - Page 2 of 2



| Special Features |
|------------------|
|------------------|

Valve outlet connection cga no. 590; furnished with p/n p110x15-206-70 o ring (preformed packing)

**Special Markings:** 

Inert o.T.

Shelf Life:

N/a

**Unit Of Measure:** 

\_\_

Demilitarization:

No

Fiig:

A07100