

View Online at <https://aerobasegroup.com/nsn/9130-01-233-8852>

**Quantity Within Each Unit Package:**

54.000 gallons

**Maximum Sulphur Content Percentage By Weight:**

0.3

**Freezing Point Maximum Temp:**

-50.0 degrees celsius

**Fuel Grade Classification:**

Kero/b

**Reid Vapor Pressure Rating:**

3.0 pounds per square inch

**Maximum Aromatics Percentage By Volume:**

20.0

**Distillation Point Percentage At Maximum Temp:**

243.3degcelsiusat90.0percent

**Maximum Distillation Residue Volume Percentage:**

1.5

**Specific Gravity Value At 15.56 Deg Celsius:**

0.776

**Copper Corrosion Classification Number:**

1

**Minimum Heat Of Combustion Value:**

18400.0 british thermal units per pound

**Maximum Distillation Loss Volume Percentage:**

1.5

**Err Default:**

Err default

**Supply Classification:**

Bulk

**Maximum Amount Of Existent Gum:**

7.0

**Test Data Document:**

81348-astmd1655 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A090a0