## NSN 9130-01-233-8852

Aviation Turbine Fuel - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9130-01-233-8852

Quantity Within Each Unit Package:
54.000 gallons
Maximum Sulphur Content Percentage By Weight:
0.3
Freezing Point Maximum Temp:
-50.0 degrees celsius
Fuel Grade Classification:
Kero/b
Reid Vapor Pressure Rating:
3.0 pounds per square inch
Maximum Aromatics Percentage By Volume:
20.0
Distillation Point Percentage At Maximum Temp:
243.3degcelsiusat90.0percent
Maximum Distillation Residue Volume Percentage:
1.5
Specific Gravity Value At 15.56 Deg Celsius:
0.776
Copper Corrosion Classification Number:
1
Minimum Heat Of Combustion Value:
18400.0 british thermal units per pound
Maximum Distillation Loss Volume Percentage:
1.5
Err Default:
Err default
Supply Classification:
Bulk
Maximum Amount Of Existent Gum:
7.0
Test Data Document:
81348-astmd1655 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification
format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain
environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).
Shelf Life:
N/a
Unit Of Measure:
<del></del>
Demilitarization:
No
Fiig:
A090a0