NSN 9130-01-305-5595

Aviation Turbine Fuel - Page 1 of 1

Bulk

7.0

N/a

No Fiig: A090a0

Special Features:

Unit Of Measure:

Demilitarization:

Shelf Life:

Maximum Amount Of Existent Gum:



View Online at https://aerobasegroup.com/nsn/9130-01-305-5595 **Maximum Sulphur Content Percentage By Weight: Freezing Point Maximum Temp:** -50.0 degrees celsius **Fuel Grade Classification:** Kero/b **Reid Vapor Pressure Rating:** Between 14.0 kilopascals and 21.0 kilopascals **Maximum Aromatics Percentage By Volume:** 25.0 **Distillation Point Percentage At Maximum Temp:** 145.0 degrees c at 20.0 pct, 190.0 degrees c at 50.0 pct and 245.0 degrees c at 90.0 pct. **Copper Corrosion Classification Number: Density Value:** Between 751.000 kilograms per cubic meter and 802.000 kilograms per cubic meter **Minimum Heat Of Combustion Value:** 42.8 megajoules per kilogram Maximum Distillation Loss Volume Percentage: 1.5 **Density Temp:** 15.0 degrees celsius **Supply Classification:**

This product is applicable only to into-plane procurements/contracts in accordance with mil-std-1548 requirements.