Rubber Strip - Page 1 of 2

View Online at https://aerobasegroup.com/nsn/9320-00-114-1331



Cross Sectional Shape:

Rectangular

Fabrication Method:

Solid

Nonmetallic Hardness Rating:

60.0 shore durometer a

Min. Tensile Strength (psi):

2000 pounds per square inch

Tempurature Rating:

-67.0 degrees fahrenheit and 212.0 degrees fahrenheit

Length:

10.844 inches

Surface Condition:

Smooth top

Cross-sectional Height:

CIOSS-Sectio

0.500 inches

Cross-sectional Width:

0.062 inches

Strengthening Feature Material:

Adhesive, pressure sensitive

Environmental Protection:

Low temperature and high temperature and oil resistant

Strengthening Feature:

Backing

External Strengthening Feature Location:

One side

Color:

Black both sides

Material:

Rubber, synthetic, mil-std-417, type s, class sb, grade sb620a1f2

Material:

Rubber butadiene-acrylonitrile class nbr

Material Specification:

Mil-std-417, type s, class sb, grade sb620a1f2 military specification single material response

Departure From Cited Document:

As modified by strengthening feature

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

NSN 9320-00-114-1331

Rubber Strip - Page 2 of 2

Fiig: A26800 Mil-std (military Standard):

Mil-std-417 spec.

