NSN 9320-00-143-7830

Rubber Strip - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9320-00-143-7830

Cross Sectional Shape:
Rectangular
Fabrication Method:
Solid
Nonmetallic Hardness Rating:
40.0 shore durometer a and 50.0 shore durometer a
Min. Tensile Strength (psi):
1500 pounds per square inch
Length:
7.000 inches
Surface Condition:
Smooth both sides
Cross-sectional Height:
6.000 inches
Cross-sectional Width:
Between 0.230 inches and 0.270 inches
Environmental Protection:
Oil resistant
Color:
Black both sides
Material:
Rubber, synthetic, mil-std-417, type s, class sc, grade sc415 or rubber, synthetic, mil-std-417, type s, class sc, grade sc515
Material:
Rubber chloroprene class cr or rubber chloroprene class cr
Material Specification:
Mil-std-417, type s, class sc, grade sc415 military specification 1st material response and mil-std-417, type s, class sc, grade sc515
military specification 2nd material response
Test Data Document:
80063-sme655472-145 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer
drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)
Departure From Cited Document:
As modified by the durometer hardness
Shelf Life:
N/a
Unit Of Measure:
-
Demilitarization:
No
Fiig:
A26800
Mil-std (military Standard):

Mil-std-417 spec.