Rubber Strip - Page 1 of 1

View Online at https://aerobasegroup.com/nsn/9320-00-251-2624

Cross Sectional Shape:

Rectangular

Fabrication Method:

Solid

Nonmetallic Hardness Rating:

55.0 shore durometer a and 65.0 shore durometer a

Min. Tensile Strength (psi):

1450 pounds per square inch

Tempurature Rating:

-67.0 degrees fahrenheit and 212.0 degrees fahrenheit

Length:

15.500 inches

Surface Condition:

Smooth both sides

Cross-sectional Height:

3.500 inches

Cross-sectional Width:

0.062 inches

Environmental Protection:

Low temperature and high temperature and oil resistant and ozone resistant

Special Features:

Smooth finish

Color:

Black both sides

Material:

Rubber, astm d 2000 m5bc 610 a14b14c12f19

Material:

Rubber, astm d 2000 m5bc 610 a14b14c12f19

Test Data Document:

81349-milr3065 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Specification Or Standard:

5 grade and b type and c class

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A26800

Mil-std (military Standard):

Mil-r-3065 spec.

