

View Online at <https://aerobasegroup.com/nsn/9320-00-342-9749>

Cross Sectional Shape:

Rectangular

Fabrication Method:

Solid

Nonmetallic Hardness Rating:

35.0 shore durometer a and 75.0 shore durometer a

Min. Tensile Strength (psi):

700 pounds per square inch and 650 pounds per square inch and 600 pounds per square inch

Temperature Rating:

-100.0 degrees fahrenheit and 425.0 degrees fahrenheit

Length:

1.500 inches

Surface Condition:

Smooth both sides

Cross-sectional Height:

0.500 inches

Cross-sectional Width:

0.090 inches

Environmental Protection:

Low temperature and low compression set at high temperature

Material:

Rubber, silicone, zz-r-765, class 1b, grade 40 or rubber, silicone, zz-r-765, class 1b, grade 50 or rubber, silicone, zz-r-765, class 1b, grade 70 or rubberzz-r-765class1bgrade60

Material:

Rubber silicone class q or rubber silicone class q or rubber silicone class q or rubberzz-r-765class1bgrade60

Material Specification:

Zz-r-765, class 1b, grade 40 federal specification 1st material response and zz-r-765, class 1b, grade 50 federal specification 2nd material response and zz-r-765, class 1b, grade 70 federal specification 3rd material response

Specification Or Standard:

1b class and sp form and 40 grade or 50 grade or 60 grade or 70 grade

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A26800