

View Online at <https://aerobasegroup.com/nsn/9320-00-497-8598>

Cross Sectional Shape:

D

Fabrication Method:

Woven and solid and laminated

Nonmetallic Hardness Rating:

45.0 shore durometer a and 55.0 shore durometer a

Min. Tensile Strength (psi):

1000 pounds per square inch

Temperature Rating:

-65.0 degrees fahrenheit and 300.0 degrees fahrenheit

Length:

120.000 inches

Surface Condition:

Smooth both sides

Cross-sectional Height:

1.200 inches

Cross-sectional Width:

0.090 inches

Strengthening Feature Material:

Polyester, tm 22-402, grade a, class 3, lockheed aircraft corporation and glass fabric, tm22-502, lockheed aircraft corp

Environmental Protection:

Low temperature and high temperature and tear

Strengthening Feature:

Insert

Insert Quantity:

4

Special Features:

Covered with dacron fabric no. 15199, mfr code 98897

Color:

Gray both sides

Material:

Rubber, stm23-402, class 1, grade 50, lockheed-georgia co

Material:

Rubber

Material Specification:

St-23-402, class 1, grade 50, lockheed-georgia co mfr ref single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A26800