NSN 9320-00-684-3336

Rubber Strip - Page 1 of 1

Mil-std (military Standard):

Mil-std-670 spec.



View Online at https://aerobasegroup.com/nsn/9320-00-684-3336

Cross Sectional Shape:
Rectangular
Fabrication Method:
Cellular, unexploded
Nonmetallic Hardness Rating:
Not rated
Min. Tensile Strength (psi):
Not rated
Геmpurature Rating:
55.0 degrees celsius and 100.0 degrees celsius
Length:
17.844 inches
Surface Condition:
Smooth
Cross-sectional Height:
0.437 inches
Cross-sectional Width:
0.250 inches
Environmental Protection:
Alcohol resistant and sodium chloride and water resistant and non-oil resistant
Color:
Gray
Material:
Rubber, mil-std-670, type r, style e, grade re3lz or rubber, mil-std-670, type r, style e, grade re7l2
Material:
Rubber butadiene-styrene class sbr or rubber polyisoprene natural class nr or rubber butadiene-styrene class sbr or rubber polyisoprene
natural class nr
Material Specification:
Mil-std-670, type r, style e, grade re3lz military specification 1st material response and mil-std-670, type r, style e, grade re7l2 military
specification 2nd material response
Specification Or Standard:
Re3lz grade or re7l2 grade
Departure From Cited Document:
As modified by enviromental protection and color
Shelf Life:
N/a
Jnit Of Measure:
-
Demilitarization:
No
Filg:
A26800