

View Online at <https://aerobasegroup.com/nsn/9320-01-004-3621>

**Nonmetallic Hardness Rating:**

45.0 shore durometer a and 55.0 shore durometer a

**Min. Tensile Strength (psi):**

1200 pounds per square inch

**Width:**

36.000 inches

**Temperature Rating:**

-70.0 degrees celsius and 204.0 degrees celsius

**Thickness:**

0.125 inches

**Length:**

36.000 inches

**Surface Condition:**

Smooth both sides

**Environmental Protection:**

Flex resistant and tear

**Color:**

Gray both sides

**Material:**

Rubber, silicone, zz-r-765, class 3b, grade 50 or rubber, stm23-402, class 2, grade 50, lockheed-georgia co

**Material:**

Rubber silicone class q or rubber

**Material Specification:**

Zz-r-765, class 3b, grade 50 federal specification 1st material response and st-23-402, class 2, grade 50, lockheed-georgia co mfr ref 2nd material response

**Specification Data:**

98897-st-23-402 professional/industrial association standard

**Specification Or Standard:**

3b class and sh form and 50 grade

**Departure From Cited Designator:**

As modified by tensile strength, environmental protection and color

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A26800