NSN 9320-01-309-2250

Rubber Strip - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9320-01-309-2250

| Cross Sectional Shape: |
|---|
| Rectangular |
| Nonmetallic Hardness Rating: |
| 45.0 shore durometer a and 55.0 shore durometer a |
| Min. Tensile Strength (psi): |
| 1500 pounds per square inch |
| Length: |
| 59.500 inches |
| Surface Condition: |
| Smooth both sides |
| Cross-sectional Height: |
| 1.500 inches |
| Cross-sectional Width: |
| 0.625 inches |
| Environmental Protection: |
| Low temperature and ozone resistant and petroleum and weather resistant |
| Special Features: |
| Free from cloth imprint |
| Material: |
| Rubber, synthetic, mil-r-6855, class 2, grade 50, form strip |
| Material: |
| Rubber, synthetic, mil-r-6855, class 2, grade 50, form strip |
| Specification Or Standard: |
| 2 class and strip form and 50 grade |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A26800 |
| Mil-std (military Standard): |
| Mil-r-6855 spec. |
| |
| |