NSN 9320-01-495-9759

Rubber Round Section - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9320-01-495-9759

| Rectangular Length: 4.750 inches Surface Condition: Smooth both sides Cross-sectional Height: 4.750 inches Cross-sectional Width: 0.063 inches End Application: Aircraft, starlifter c-141 |
|---|
| 4.750 inches Surface Condition: Smooth both sides Cross-sectional Height: 4.750 inches Cross-sectional Width: 0.063 inches End Application: |
| Surface Condition: Smooth both sides Cross-sectional Height: 4.750 inches Cross-sectional Width: 0.063 inches End Application: |
| Smooth both sides Cross-sectional Height: 4.750 inches Cross-sectional Width: 0.063 inches End Application: |
| Cross-sectional Height: 4.750 inches Cross-sectional Width: 0.063 inches End Application: |
| 4.750 inches Cross-sectional Width: 0.063 inches End Application: |
| Cross-sectional Width: 0.063 inches End Application: |
| 0.063 inches End Application: |
| End Application: |
| |
| Aircraft, starlifter c-141 |
| |
| Special Features: |
| Item has 4 holes 0.250 inches in diameter spaced evenly around the piece centered on a line 0.500 inches in from the outside edge |
| Material: |
| Rubber, mil-r-6855 |
| Material: |
| Rubber butadiene-acrylonitrile class nbr or rubber chloroprene class cr or rubber butadiene-styrene class sbr |
| Material Specification: |
| Mil-r-6855 military specification single material response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A26800 |
| Mil-std (military Standard): |
| Mil-r-6855 spec. |