

View Online at <https://aerobasegroup.com/nsn/9330-01-501-6435>

**Fire Retarding Characteristic:**

Not fire retarding

**Width:**

18.200 inches

**Thickness:**

4.000 inches

**Length:**

23.400 inches

**End Application:**

Aircraft, thunderbolt ii, a-10

**Surface Condition:**

Rough

**Density Rating:**

1.2 pounds per cubic foot

**Compression Strength At 25 Pct Deflection:**

0.35 pounds per square inch

**Product Name:**

Filler foam

**Special Features:**

Rectangular with cutouts on right/short edge: 1.25wx1.54h, 2.00 up from bottom edge and 1.25wx1.52h, 15.60 up from bottom edge; on far side: a lengthwise groove 1.00dx2.00w along top edge and a groove 1.00dx2.32h along bottom edge, words "up" and "aft" on w lines near notched edge below top groove and part number in lower groove near notched edge; on near side: a groove 0.60dx2.00w along bottom edge and

**Material:**

Plastic, polyurethane

**Material:**

Plastic polyurethane

**Supplementary Features:**

Material to be reticulated foam per sm-alc specification ms-mmrs-87-100

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T258-d