

View Online at <https://aerobasegroup.com/nsn/9330-01-501-6631>

**Fire Retarding Characteristic:**

Not fire retarding

**Width:**

16.360 inches

**Thickness:**

2.500 inches

**Length:**

20.890 inches

**End Application:**

Aircraft, thunderbolt ii, a-10

**Surface Condition:**

Rough

**Density Rating:**

1.2 pounds per cubic foot

**Compression Strength At 25 Pct Deflection:**

0.35 pounds per square inch

**Product Name:**

Filler foam

**Special Features:**

Rectangular with 2 cutouts on right/shorter edge: 1.25wx1.00h, 2.96 inches from bottom and 1.25wx1.00h, 13.80 from bottom; a cutout on bottom edge, 1.16hx16.73w, 1.16from left edge; a rectangular hole, 10.59wx2.00h, cut thru, 8.90 from bottom and 7.30 from left edge; a groove 1.00hx7.30wx1.00d on near side horizontally to left of hole and one 2.0hx3.00wx1.00d on far side horizontally to right of hole; far side has groove 1.15wx1.0d along left crosswise edge; near side is marked with "up" and "fwd" in upper center area and with part number in lower center area

**Material:**

Plastic, polyurethane

**Material:**

Plastic polyurethane

**Supplementary Features:**

Material to be reticulated foam per sm-alc specification ms-mmrs-87-100

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

T258-d