

View Online at <https://aerobasegroup.com/nsn/9330-01-501-7486>

**Fire Retarding Characteristic:**

Not fire retarding

**Width:**

14.200 inches

**Thickness:**

4.000 inches

**Length:**

20.940 inches

**End Application:**

Aircraft, thunderbolt ii, a-10

**Surface Condition:**

Rough

**Density Rating:**

1.2 pounds per cubic foot

**Compression Strength At 25 Pct Deflection:**

0.35 pounds per square inch

**Product Name:**

Filler foam

**Special Features:**

Rectangular with cutout on left/short edge, 1.25wx1.00h, 4.00 inches from bottom edge and 2 cutouts from right edge, 1.26wx2.50h, 2.50 from bottom and 1.25wx1.00h, 2.08 from top edge; far side has 2.08wx1.40d lengthwise groove along top edge and semi-circular lengthwise cutout with radius of 2.00, centered 6.16 from bottom edge and 0.70 from top surface; far side has markings: "up" and "fwd" on 2 lines above rounded cutout and part number to the right

**Material:**

Plastic, polyurethane

**Material:**

Plastic polyurethane

**Supplementary Features:**

Material to be reticulated foam per sm-alc specification ms-mmrs-87-100

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T258-d