

View Online at <https://aerobasegroup.com/nsn/9330-01-502-2964>

Fire Retarding Characteristic:

Not fire retarding

Width:

18.710 inches

Thickness:

7.000 inches

Length:

28.130 inches

End Application:

Aircraft, thunderbolt ii, a-10

Surface Condition:

Rough

Density Rating:

1.2 pounds per cubic foot

Compression Strength At 25 Pct Deflection:

0.35 pounds per square inch

Product Name:

Filler foam

Special Features:

Irregularly shaped; far side has cutout along left/long edge: 5.09wx1.00h & roughly triangular cutout on right edge ranging from 15 degrees at top surface to 30 degrees at bottom, and markings: "up" near top left edge (far side up) & part number near top right edge with "fwd" under p/n; near side has lengthwise cutout beginning on left edge: 0.89wx1.00h, slanting over to point 13.62 from right & 3.37 from bottom at bottom edge, then slanting up to 11.62 from right & 6.52 from bottom; near side has graduated lengthwise angles - see drawing for details

Material:

Plastic, polyurethane

Material:

Plastic polyurethane

Supplementary Features:

Material to be reticulated foam per sm-alc specification ms-mmrs-87-100

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

T258-d