

View Online at <https://aerobasegroup.com/nsn/9330-01-502-2988>

**Fire Retarding Characteristic:**

Not fire retarding

**Width:**

19.400 inches

**Thickness:**

6.720 inches

**Length:**

25.710 inches

**End Application:**

Aircraft, thunderbolt ii, a-10

**Surface Condition:**

Rough

**Density Rating:**

1.2 pounds per cubic foot

**Compression Strength At 25 Pct Deflection:**

0.35 pounds per square inch

**Product Name:**

Filler foam

**Special Features:**

Groughly rectangular; near side: left/short edge tapers 1.00 to bottom, bottom edge tapers 1.65 to right edge, right edge tapers 1.00 to top, & has a crosswise rectangular cutout: 7.00wx2.00d, 3.02 from bottom edge & has markings: "fwd" near upper left corner & "up" & "inbd" on 2 lines near upper right one & part number near lower right corner; far side: top surface curves from 6.72 inches thick at bottom edge to 2.50 at top with radius or 40.25 inches

**Material:**

Plastic, polyurethane

**Material:**

Plastic polyurethane

**Supplementary Features:**

Material to be reticulated foam per sm-alc specification ms-mmrs-87-100

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T258-d