

View Online at <https://aerobasegroup.com/nsn/9330-01-502-5591>

**Fire Retarding Characteristic:**

Not fire retarding

**Width:**

14.200 inches

**Thickness:**

4.000 inches

**Length:**

20.940 inches

**End Application:**

Aircraft, thunderbolt ii, a-10

**Surface Condition:**

Rough

**Density Rating:**

1.2 pounds per cubic foot

**Compression Strength At 25 Pct Deflection:**

0.35 pounds per square inch

**Product Name:**

Filler foam

**Special Features:**

Rectangular with cutout on right/short edge: 1.26wx1.00h, 4.00 inches from bottom edge; 2 cutouts on left edge: 1.26wx2.50h, 2.50 from bottom & 1.26wx1.40h, 2.08 from top; near side has 2 lengthwise grooves: rectangular, 2.08wx1.40d along top edge & semicircular with 2.00 inch radius centered 6.16 from bottom & 0.70 from near surface; near side is marked: "up" & "fwd" on 2 lines in upper left area (below groove) & with part number to the right; far side is chamfered 45 degrees, 0.50 inches at bottom edge

**Material:**

Plastic, polyurethane

**Material:**

Plastic polyurethane

**Supplementary Features:**

Material to be reticulated foam per sm-alc specification ms-mmrs-87-100

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T258-d