

View Online at <https://aerobasegroup.com/nsn/9330-01-502-5613>

**Fire Retarding Characteristic:**

Not fire retarding

**Width:**

15.400 inches

**Thickness:**

2.500 inches

**Length:**

19.940 inches

**End Application:**

Aircraft, thunderbolt ii, a-10

**Surface Condition:**

Rough

**Density Rating:**

1.2 pounds per cubic foot

**Compression Strength At 25 Pct Deflection:**

0.35 pounds per square inch

**Product Name:**

Filler foam

**Special Features:**

Begins as rectangle with cutout on left/short edge: 5.80wx11.90h at top corner; cutout on right edge: 8.00wx7.50l, 1.20 from bottom with inner corners rounded with 1.00 radius; near side is marked: "up" & "fwd" on 2 lines and part number to right, near top edge; far side has triangular cutout, from line 7.50 from bottom to top edge and from near surface (far side up) at outside edges to arc with 2.00 radius, centered 15.60 from right edge

**Material:**

Plastic, polyurethane

**Material:**

Plastic polyurethane

**Supplementary Features:**

Material to be reticulated foam per sm-alc specification ms-mmrs-87-100

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

T258-d