

View Online at <https://aerobasegroup.com/nsn/9390-00-250-8671>

**Cross Sectional Shape:**

Open channel

**Nonmetallic Hardness Rating:**

35.0 shore durometer a and 45.0 shore durometer a

**Min. Tensile Strength (psi):**

1300 pounds per square inch

**Overall Height:**

0.500 inches

**Overall Width:**

0.438 inches

**Length:**

96.000 inches

**Right Side Flange Height:**

0.500 inches

**Left Side Flange Thickness:**

0.094 inches

**Right Side Flange Thickness:**

0.094 inches

**Left Side Flange Top Outer Radius:**

0.063 inches

**Right Side Flange Top Outer Radius:**

0.063 inches

**Environmental Protection:**

Petroleum and low temperature and ozone resistant and weather resistant

**Fillet Radius Where Left Flange Joins Base Flange:**

0.031 inches

**Outer Radius Where Left Flange Joins Base Flange:**

0.094 inches

**Base Flange Thickness:**

0.063 inches

**Outer Radius Where Right Flange Joins Base Flange:**

0.094 inches

**Fillet Radius Where Right Flange Joins Base Flange:**

0.031 inches

**Left-side Flange Tip Style:**

Left w/ outside radius

**Right-side Flange Tip Style:**

Right w/ outside radius

**Special Features:**

Smooth finish and free from cloth imprint

**Material:**

Rubber synthetic

**Material Specification:**

Mil-r-6855, class 2, type a, grade 40 military specification single material response

**Specification Or Standard:**

A type and 40 grade and 2 class and extruded shape form

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A547c0

**Mil-std (military Standard):**

Mil-r-6855 spec.