

View Online at <https://aerobasegroup.com/nsn/9390-00-250-8671>

Cross Sectional Shape:

Open channel

Nonmetallic Hardness Rating:

35.0 shore durometer a and 45.0 shore durometer a

Min. Tensile Strength (psi):

1300 pounds per square inch

Overall Height:

0.500 inches

Overall Width:

0.438 inches

Length:

96.000 inches

Right Side Flange Height:

0.500 inches

Left Side Flange Thickness:

0.094 inches

Right Side Flange Thickness:

0.094 inches

Left Side Flange Top Outer Radius:

0.063 inches

Right Side Flange Top Outer Radius:

0.063 inches

Environmental Protection:

Petroleum and low temperature and ozone resistant and weather resistant

Fillet Radius Where Left Flange Joins Base Flange:

0.031 inches

Outer Radius Where Left Flange Joins Base Flange:

0.094 inches

Base Flange Thickness:

0.063 inches

Outer Radius Where Right Flange Joins Base Flange:

0.094 inches

Fillet Radius Where Right Flange Joins Base Flange:

0.031 inches

Left-side Flange Tip Style:

Left w/ outside radius

Right-side Flange Tip Style:

Right w/ outside radius

Special Features:

Smooth finish and free from cloth imprint

Material:

Rubber synthetic

Material Specification:

Mil-r-6855, class 2, type a, grade 40 military specification single material response

Specification Or Standard:

A type and 40 grade and 2 class and extruded shape form

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A547c0

Mil-std (military Standard):

Mil-r-6855 spec.