

View Online at <https://aerobasegroup.com/nsn/9390-00-737-3300>

Cross Sectional Shape:

Open channel

Nonmetallic Hardness Rating:

55.0 shore durometer a and 65.0 shore durometer a

Min. Tensile Strength (psi):

1500 pounds per square inch

Tempurature Rating:

-40.0 degrees fahrenheit

Overall Height:

0.380 inches

Overall Width:

0.335 inches

Length:

72.000 inches

Right Side Flange Height:

0.380 inches

Left Side Flange Thickness:

0.042 inches

Right Side Flange Thickness:

0.042 inches

Left Side Top Flange Thickness:

0.100 inches

Left Side Top Flange Width:

0.170 inches

Right Side Top Flange Width:

0.170 inches

Environmental Protection:

Low temperature and ozone resistant

Base Flange Thickness:

0.060 inches

First Slot/groove Depth:

0.320 inches

First Offset Height:

0.010 inches

Right Side Top Flange Top Thickness:

0.100 inches

First Offset Width:

0.060 inches

Left-side Flange Tip Style:

Left offset square w/outside radius

Right-side Flange Tip Style:

Right offset square w/outside radius

Special Features:

Color, black

Material:

Rubber synthetic

Material Specification:

Mil-std-417, type r, class rs, grade rs615c1f1 military standard single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A547c0

Mil-std (military Standard):

Mil-std-417 spec.