

View Online at <https://aerobasegroup.com/nsn/9390-00-819-5461>

**Cross Sectional Shape:**

Semi-closed channel

**Nonmetallic Hardness Rating:**

45.0 shore durometer a and 55.0 shore durometer a

**Min. Tensile Strength (psi):**

2000 pounds per square inch

**Temperature Rating:**

-40.0 degrees fahrenheit and 158.0 degrees fahrenheit

**Overall Height:**

0.875 inches

**Overall Width:**

3.125 inches

**Length:**

1.125 inches

**Right Side Flange Height:**

0.250 inches

**Left Side Flange Thickness:**

0.250 inches

**Right Side Flange Thickness:**

0.250 inches

**Left Side Top Flange Thickness:**

0.250 inches

**Right Side Top Flange Thickness:**

0.250 inches

**Left Side Top Flange Width:**

0.625 inches

**Right Side Top Flange Width:**

0.625 inches

**Fillet Radius Where Left Flange Joins Top Flange:**

0.031 inches

**Fillet Radius Where Right Flange Joins Top Flange:**

0.031 inches

**Environmental Protection:**

Low temperature and non-oil resistant

**Fillet Radius Where Left Flange Joins Base Flange:**

0.031 inches

**Base Flange Thickness:**

0.375 inches

**Fillet Radius Where Right Flange Joins Base Flange:**

0.031 inches

**Left-side Flange Tip Style:**

Left square end

**Right-side Flange Tip Style:**

Right square end

**Special Features:**

Color, black

**Material:**

Rubber natural

**Material Specification:**

Mil-std-417, type r, class rn, grade rn520f1 military standard single material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A547c0

**Mil-std (military Standard):**

Mil-std-417 spec.