

View Online at <https://aerobasegroup.com/nsn/9390-00-886-8180>

Cross Sectional Shape:

Semi-closed channel

Nonmetallic Hardness Rating:

60.0 shore durometer a and 70.0 shore durometer a

Min. Tensile Strength (psi):

1500 pounds per square inch

Tempurature Rating:

-40.0 degrees celsius

Overall Height:

0.180 inches

Overall Width:

0.730 inches

Length:

1.060 inches

Right Side Flange Height:

0.045 inches

Left Side Flange Thickness:

0.100 inches

Right Side Flange Thickness:

0.100 inches

Left Side Top Flange Thickness:

0.075 inches

Right Side Top Flange Thickness:

0.075 inches

Left Side Top Flange Width:

0.200 inches

Right Side Top Flange Width:

0.200 inches

Fillet Radius Where Left Flange Joins Top Flange:

0.023 inches

Fillet Radius Where Right Flange Joins Top Flange:

0.023 inches

Environmental Protection:

Hydraulic fluid and oil resistant and low temperature

Fillet Radius Where Left Flange Joins Base Flange:

0.023 inches

Base Flange Thickness:

0.060 inches

Fillet Radius Where Right Flange Joins Base Flange:

0.023 inches

Left-side Flange Tip Style:

Left square end

Right-side Flange Tip Style:

Right square end

Material:

Rubber

Material Specification:

Hs244, united aircraft corporation mfr ref single material response

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A547c0