## NSN 9390-00-989-2245

Nonmetallic Channel - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9390-00-989-2245

| Cross Sectional Shape:  |
|---|
| Open channel with round base  |
| Nonmetallic Hardness Rating:  |
| 65.0 shore durometer a and 75.0 shore durometer a   |
| Min. Tensile Strength (psi):  |
| 900 pounds per square inch  |
| Overall Height:   |
| 0.406 inches  |
| Length:   |
| 96.000 inches   |
| Left Side Flange Thickness:   |
| 0.062 inches  |
| Right Side Flange Thickness:  |
| 0.062 inches  |
| Left Side Flange Top Outer Radius:  |
| 0.047 inches  |
| Environmental Protection:   |
| Low temperature and high temperature and non-oil resistant                                  |
| First Slot/groove Depth:  |
| 0.344 inches  |
| Outside Radius:   |
| 0.094 inches  |
| Left-side Flange Tip Style:   |
| Left w/ outside radius  |
| Right-side Flange Tip Style:  |
| Right square end  |
| Special Features:   |
| Color, black; as differentiated by material and special features                            |
| Material:   |
| Rubber synthetic  |
| Material Specification:   |
| Mil-std-417, type r, class rs, grade rs709abdf2z military standard single material response |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |
|   |
| Demilitarization:   |
| No  |
| Fiig:   |
| A547c0  |
| Mil-std (military Standard):  |
| Mil-std-417 spec.   |