

View Online at <https://aerobasegroup.com/nsn/9390-01-241-0506>

**Cross Sectional Shape:**

Open channel

**Nonmetallic Hardness Rating:**

50.0 shore durometer a

**Min. Tensile Strength (psi):**

1500 pounds per square inch

**Temperature Rating:**

-67.0 degrees fahrenheit

**Overall Height:**

Between 0.500 inches and 0.620 inches

**Overall Width:**

Between 0.360 inches and 0.390 inches

**Length:**

Between 1.500 inches and 1.620 inches

**Right Side Flange Height:**

Between 0.387 inches and 0.483 inches

**Left Side Flange Thickness:**

Between 0.110 inches and 0.140 inches

**Right Side Flange Thickness:**

Between 0.110 inches and 0.140 inches

**Left Side Flange Top Outer Radius:**

0.050 inches

**Err Default:**

Err default

**Err Default:**

Err default

**Right Side Flange Top Outer Radius:**

0.050 inches

**Environmental Protection:**

Low temperature and high temperature

**Fillet Radius Where Left Flange Joins Base Flange:**

0.020 inches

**Outer Radius Where Left Flange Joins Base Flange:**

Between 0.105 inches and 0.135 inches

**Base Flange Thickness:**

Between 0.113 inches and 0.137 inches

**Outer Radius Where Right Flange Joins Base Flange:**

Between 0.105 inches and 0.135 inches

**Fillet Radius Where Right Flange Joins Base Flange:**

0.020 inches

**Left-side Flange Tip Style:**

Left w/inside and outside corner radii

**Right-side Flange Tip Style:**

Right w/inside and outside corner radii

**Special Features:**

Two 0.113 diameter holes on each flange

**Material:**

Rubber

**Material Specification:**

Hms17-1527, type 3, class 50, hughes aircraft co mfr ref single material response

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A547c0