

View Online at <https://aerobasegroup.com/nsn/9390-01-355-3298>

Cross Sectional Shape:

Open channel with "v" base

Nonmetallic Hardness Rating:

50.0 shore durometer a

Min. Tensile Strength (psi):

1200 pounds per square inch

Overall Height:

Between 0.840 inches and 0.880 inches

Overall Width:

Between 0.167 inches and 0.173 inches

Left Side Flange Height:

Between 0.480 inches and 0.520 inches

Right Side Flange Height:

Between 0.480 inches and 0.520 inches

Left Side Flange Thickness:

Between 0.030 inches and 0.070 inches

Right Side Flange Thickness:

Between 0.030 inches and 0.070 inches

Environmental Protection:

Fuel resistant and oil resistant and low temperature

First Slot/groove Depth:

Between 0.430 inches and 0.470 inches

Left-side Flange Tip Style:

Left square end

Right-side Flange Tip Style:

Right square end

Special Features:

Material mil-r-6855 class i, grade 50

Material:

Rubber synthetic

Material Specification:

Mil-r-6855 military specification single material response

Specification Data:

81205-bac1521 professional/industrial association standard

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A547c0

Mil-std (military Standard):

Mil-r-6855 spec.