

View Online at <https://aerobasegroup.com/nsn/9390-01-355-3298>

**Cross Sectional Shape:**

Open channel with "v" base

**Nonmetallic Hardness Rating:**

50.0 shore durometer a

**Min. Tensile Strength (psi):**

1200 pounds per square inch

**Overall Height:**

Between 0.840 inches and 0.880 inches

**Overall Width:**

Between 0.167 inches and 0.173 inches

**Left Side Flange Height:**

Between 0.480 inches and 0.520 inches

**Right Side Flange Height:**

Between 0.480 inches and 0.520 inches

**Left Side Flange Thickness:**

Between 0.030 inches and 0.070 inches

**Right Side Flange Thickness:**

Between 0.030 inches and 0.070 inches

**Environmental Protection:**

Fuel resistant and oil resistant and low temperature

**First Slot/groove Depth:**

Between 0.430 inches and 0.470 inches

**Left-side Flange Tip Style:**

Left square end

**Right-side Flange Tip Style:**

Right square end

**Special Features:**

Material mil-r-6855 class i, grade 50

**Material:**

Rubber synthetic

**Material Specification:**

Mil-r-6855 military specification single material response

**Specification Data:**

81205-bac1521 professional/industrial association standard

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A547c0

**Mil-std (military Standard):**

Mil-r-6855 spec.