NSN 9390-01-355-3298

Nonmetallic Channel - Page 1 of 2



-3298

View Online at https://aerobasegroup.com/nsn/9390-01-355-
Cross Sectional Shape:
Open channel with "v" base
Nonmetallic Hardness Rating:
50.0 shore durometer a
Min. Tensile Strength (psi):
1200 pounds per square inch
Overall Height:
Between 0.840 inches and 0.880 inches
Overall Width:
Between 0.167 inches and 0.173 inches
Left Side Flange Height:
Between 0.480 inches and 0.520 inches
Right Side Flange Height:
Between 0.480 inches and 0.520 inches
Left Side Flange Thickness:
Between 0.030 inches and 0.070 inches
Right Side Flange Thickness:
Between 0.030 inches and 0.070 inches
Environmental Protection:
Fuel resistant and oil resistant and low temperature
First Slot/groove Depth:
Between 0.430 inches and 0.470 inches
Left-side Flange Tip Style:
Left square end
Right-side Flange Tip Style:
Right square end
Special Features:
Material mil-r-6855 class i, grade 50
Material:
Rubber synthetic
Material Specification:
Mil-r-6855 military specification single material response
Specification Data:
81205-bac1521 professional/industrial association standard
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:

No

Fiig:

A547c0

NSN 9390-01-355-3298

Nonmetallic Channel - Page 2 of 2



Mil-std (military Standard):

Mil-r-6855 spec.