NSN 9510-01-467-9851

Metal Bar - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/9510-01-467-9851

| Fabrication Method: |
|--|
| Any acceptable |
| Length: |
| Between 44.940 inches and 45.060 inches |
| Cross-sectional Thickness: |
| Between 0.4400 inches and 0.5600 inches |
| Cross-sectional Width: |
| Between 0.940 inches and 1.060 inches |
| End Application: |
| 2350-01-368-9528 |
| Basic Shape Style: |
| Flat |
| Special Features: |
| There are 7 identical through holes in the bar; they run perpendicular to the width, measure 0.500 in. Deep, start centered 0.936 in. From |
| one end, and are spaced 7.188 in. Between centers; the holes are threaded 0.375-16 unc-2b; bar has protective finish per paragraph 2.0 |
| dwg 12350824 (threaded holes excluded from primer/top coat); optional matl's incl: steel carbon 1010-1025, specification astm a108, |
| a576, or a575 |
| Material: |
| Steel, astm a36 |
| Material: |
| Steel uns k02600 |
| Material Specification: |
| Astm a36 assn standard 1st material response |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A13100 |
| |
| |
| |