## NSN 9515-00-244-0968

Metal Sheet - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/9515-00-244-0968

| Fabrication Method:                                  |
|--|
| Hot rolled   |
| Width:   |
| 26.000 inches  |
| Length:  |
| 9.000 feet   |
| Cross-sectional Thickness:                           |
| 0.0247 inches  |
| Center To Center Distance Between Corrugations:      |
| 2.666 inches   |
| Corrugation Depth:                                   |
| 0.625 inches   |
| Basic Shape Style:                                   |
| Solid  |
| Edge Type:   |
| Sheared  |
| Corrugated Edge Direction:                           |
| Same direction                                       |
| Weight Per Unit Measure:                             |
| 1.113 pounds per square foot                         |
| Coating Weight:                                      |
| 1.250 ounces per square foot                         |
| Heat Treatment:                                      |
| As fabricated  |
| Material:  |
| Steel, qq-s-775                                      |
| Material:  |
| Steel  |
| Material Specification:                              |
| Qq-s-775 federal specification 1st material response |
| Surface Treatment:                                   |
| Zinc   |
| Surface Treatment:                                   |
| Zinc   |
| Specification Or Standard:                           |
| D class and 2 type                                   |
| Shelf Life:  |
| N/a  |
| Unit Of Measure:                                     |
|  |
| Demilitarization:                                    |

No

## NSN 9515-00-244-0968

Metal Sheet - Page 2 of 2



Fiig:

A13100